L Number	Hits	Search Text	DB	Time stamp
4	765	(dead o rfail\$3 or failure or broken) near5 gateway	USPAT;	2004/01/09 15:30
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
5	304	((dead o rfail\$3 or failure or broken) near5 gateway) and	USPAT;	2004/01/09 15:30
		delet\$3 ARP adj (entry or record or data)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	85	((dead o rfail\$3 or failure or broken) near5 gateway) and (dead	IBM_TDB USPAT;	2004/01/09 16:53
6	65	o rfail\$3 or failure or broken) near5 gateway with delet\$3 ARP	US-PGPUB;	2004/01/03 10:55
		adj (entry or record or data)	EPO; JPO;	
		,	DERWENT;	
	_		IBM_TDB	
7	1	(((dead o rfail\$3 or failure or broken) near5 gateway) and	USPAT;	2004/01/09 15:34
		(dead o rfail\$3 or failure or broken) near5 gateway with delet\$3 ARP adj (entry or record or data)) and (dead o rfail\$3	US-PGPUB; EPO; JPO;	
		or failure or broken) near5 gateway with delet\$3 ARP adj	DERWENT;	
		(entry or record or data) same (alternat\$3 or another or	IBM_TDB	
		second) adj4 gateway	_	
8	3	(dead or fail\$3 or failure or broken) near5 gateway with	USPAT;	2004/01/09 15:35
		delet\$3 ARP adj (entry or record or data) same (alternat\$3 or another or second) adj4 gateway	US-PGPUB; EPO; JPO;	
		another or second, adj4 gateway	DERWENT;	
1			IBM_TDB	
9	0	(dead or fail\$3 or failure or broken) near5 gateway with	USPAT;	2004/01/09 15:35
		delet\$3 adj5 ARP adj3 (entry or record or data) same	US-PGPUB;	
		(alternat\$3 or another or second) adj4 gateway	EPO; JPO; DERWENT;	
			IBM_TDB	
10	0	(dead or fail\$3 or failure or broken) near5 gateway with	USPAT;	2004/01/09 15:35
		delet\$3 adj5 ARP adj3 (entry or record or data)	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM_TDB	
11	32	(dead or fail\$3 or failure or broken) near5 gateway with	USPAT;	2004/01/09 16:06
		(alternat\$3 or another or second) adj4 gateway	US-PGPUB;	
i			EPO; JPO;	
			DERWENT;	
12	0	((dead or fail\$3 or failure or broken) near5 gateway with	IBM_TDB USPAT;	2004/01/09 15:36
'-		(alternat\$3 or another or second) adj4 gateway) and delet\$3	US-PGPUB;	200-70 1700 10.00
		adj5 ARP adj3 (entry or record or data)	EPO; JPO;	
			DERWENT;	
12	3	delette ed: ADD ed: 2 (entry or record or dete)	IBM_TDB	2004/04/00 45:27
13	2	delet\$3 adj5 ARP adj3 (entry or record or data)	USPAT; US-PGPUB;	2004/01/09 15:37
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
14	23	((dead or fail\$3 or failure or broken) near5 gateway with	USPAT; US-PGPUB:	2004/01/09 16:08
		(alternat\$3 or another or second) adj4 gateway) and (@AD < "20000914")	EPO; JPO;	
		2000017 /	DERWENT;	
			IBM_TDB	
15	1	(((dead or fail\$3 or failure or broken) near5 gateway with	USPAT;	2004/01/09 16:07
		(alternat\$3 or another or second) adj4 gateway) and (@AD <	US-PGPUB;	
		"20000914")) and (ARP or address adj resolution adj protocol)	EPO; JPO; DERWENT:	
			IBM_TDB	
16	48	(dead or fail\$3 or failure or broken) near5 gateway with	USPAT;	2004/01/09 16:06
		(backup or different or alternat\$3 or another or second) adj4	US-PGPUB;	
		gateway	EPO; JPO;	
			DERWENT;	
L			IBM_TDB	

	,			
17	54	(dead or fail\$3 or failure or broken or idle\$3) near5 gateway	USPAT;	2004/01/09 16:08
		with (backup or different or alternat\$3 or another or second) adj4 gateway	US-PGPUB; EPO; JPO;	
į		auj+ gateway	DERWENT;	
1			IBM_TDB	
18	2		USPAT;	2004/01/09 16:07
		with (backup or different or alternat\$3 or another or second)	US-PGPUB;	
		adj4 gateway) and (ARP or address adj resolution adj	EPO; JPO;	
		protocol)	DERWENT;	
22	12	((dead or fail\$3 or failure or broken or idle\$3) near5 gateway	IBM_TDB USPAT;	2004/01/09 16:26
	'-	with (backup or different or alternat\$3 or another or second)	US-PGPUB;	2004/01/03 10:20
		adj4 gateway) and (ARP or TCP) and (@AD <20000914)	EPO; JPO;	i i
			DERWENT;	
			IBM_TDB	
23	293	ARP near5 cach\$3	USPAT;	2004/01/09 16:13
			US-PGPUB; EPO; JPO;	
			DERWENT;	
		·	IBM_TDB	
24	7	delet\$3 near10 ARP near5 cach\$3	USPAT;	2004/01/09 16:25
			US-PGPUB;	
	l		EPO; JPO;	
			DERWENT;	
25	24	delet\$3 near10 ARP near5 (data or information or record or	IBM_TDB USPAT;	2004/01/09 16:51
	-	entry)	US-PGPUB;	2004/01/03 10:51
		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	EPO; JPO;	
			DERWENT;	
	100		IBM_TDB	
26	16	(delet\$3 near10 ARP near5 (data or information or record or entry)) and (ARP or TCP) and (@AD <20000914)	USPAT;	2004/01/09 16:52
		entry)) and (ARP of TCP) and (@AD <20000914)	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	
27	0	((delet\$3 near10 ARP near5 (data or information or record or	USPAT;	2004/01/09 16:36
		entry)) and (ARP or TCP) and (@AD <20000914)) and	US-PGPUB;	
		non-TCP	EPO; JPO;	
į			DERWENT; IBM_TDB	
28	36	remov\$3 near10 ARP near5 (data or information or record or	USPAT;	2004/01/09 17:25
		entry)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
29	24	(remov\$3 near10 ARP near5 (data or information or record or	IBM_TDB	2004/01/09 16:57
= "		entry)) and (ARP or TCP) and (@AD <20000914)	USPAT; US-PGPUB;	2004/01/08 10.3/
		,,, = (= = = = = = = = = = = = = = = =	EPO; JPO;	
			DERWENT;	
20		/dd6-1000 6-10	IBM_TDB	
30	532	(dead or fail\$3 or failure or broken) near5 gateway	USPAT;	2004/01/09 16:53
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	
31	3865	(dead or fail\$3 or failure or broken) near5 (subnet or bridge or	USPAT;	2004/01/09 16:53
		gateway)	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
32	2	((dead or fail\$3 or failure or broken) near5 (subnet or bridge or	USPAT;	2004/01/09 16:54
		gateway)) and (((delet\$3 near10 ARP near5 (data or	US-PGPUB;	
		information or record or entry)) and (ARP or TCP) and (@AD	EPO; JPO;	
		<20000914)) or ((remov\$3 near10 ARP near5 (data or information or record or entry) and (ARR or TCR) and (ARR)	DERWENT;	
		information or record or entry)) and (ARP or TCP) and (@AD <20000914)))	IBM_TDB	
	<u> </u>	2000017///		

33	1	((dead or fail\$3 or failure or broken) near5 (subnet or bridge or	USPAT;	2004/01/09 17:08
		gateway)) and (non-TCP) and (@AD <20000914)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
34	2880	((dead or fail\$3 or failure or broken) near5 (subnet or bridge or	USPAT;	2004/01/09 17:09
		gateway)) and (@AD <20000914)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
35	2	(((dead or fail\$3 or failure or broken) near5 (subnet or bridge	USPAT;	2004/01/09 17:27
		or gateway)) and (@AD <20000914)) and (delet\$3 or reset\$4	US-PGPUB;	
		or cancel\$4 or remov\$3) near10 ARP near5 (cache or data or	EPO; JPO;	
		information or record or entry)	DERWENT;	
			IBM_TDB	
36	4	(((dead or fail\$3 or failure or broken) near5 (subnet or bridge	USPAT;	2004/01/09 17:27
		or gateway)) and (@AD <20000914)) and (delet\$3 or reset\$4	US-PGPUB;	
		or cancel\$4 or remov\$3) with ARP with (cache or data or	EPO; JPO;	
		information or record or entry)	DERWENT;	
	1		I IBM TDB	